

# PageSpeed Insights

## Mobile



62 / 100 Speed

Should Fix:

### Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

- <https://truongtien.com.vn/wp-content/themes/flatsome/assets/css/icons/fl-icons.woff2> (expiration not specified)
- <https://www.google.com/maps/vt?pb=!1m4!1m3!1i16!2i52194!3i30798!1m4!1m3!1i16!2i52194!3i30799!1m4!1m3!1i16!2i52195!3i30798!1m4!1m3!1i16!2i52195!3i30799!1m4!1m3!1i16!2i52196!3i30798!1m4!1m3!1i16!2i52196!3i30799!1m4!1m3!1i16!2i52194!3i30800!1m4!1m3!1i16!2i52195!3i30800!1m4!1m3!1i16!2i52196!3i30800!2m3!1e0!2sm!3i446152078!2m39!1e2!2sspotlight!5i1!8m35!1m8!12m7!10b0!12splaceholder!19m3!1b0!2zNSw2LDI0LDQ1LDc1LDkz!3s0x0%3A0x3ef63ec7a689e470!20e1!2m6!1s0x0%3A0x3ef63ec7a689e470!2zVHLGsOG7nW5nIFRp4buBbg!4m2!3d10.7516869!4d106.7182284!5e0!11e11!13m14!2sa!14b1!18m7!5b0!6b0!8b0!9b0!10b0!11b0!12b1!22m3!6e2!7e3!8e2!19u14!19u29!19u50!3m9!2sen!3sUS!5e289!12m1!1e68!12m3!1e37!2m1!1ssmartmaps!4e3!12m1!5b1!23i4111425&c>

## Mobile

lient=google-maps-embed&token=53863 (5 minutes)

- 
- 
- 
-

## Mobile

23i4111425&client=google-maps-embed&token=23191 (5 minutes)

- 
- <https://www.googletagmanager.com/gtag/js?id=UA-127060475-1> (15 minutes)
- [https://maps.googleapis.com/maps/api/js?client=google-maps-embed&paint\\_origin=&libraries=geometry,search&v=3.exp&language=en](https://maps.googleapis.com/maps/api/js?client=google-maps-embed&paint_origin=&libraries=geometry,search&v=3.exp&language=en) (30 minutes)
- <https://www.google-analytics.com/analytics.js> (2 hours)
- <https://embed.tawk.to/5be15af99032835ef9dc7146/default> (4 hours)

## Reduce server response time

In our test, your server responded in 1 second.

There are many factors that can slow down your server response time. [Please read our recommendations](#) to learn how you can monitor and measure where your server is spending the most time.

## Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 2 blocking script resources and 7 blocking CSS resources. This causes a delay in rendering your page.

## Mobile

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

### [Remove render-blocking JavaScript:](#)

- <https://truongtien.com.vn/wp-includes/js/jquery/jquery.js?ver=1.12.4>
- <https://truongtien.com.vn/wp-includes/js/jquery/jquery-migrate.min.js?ver=1.4.1>

### [Optimize CSS Delivery](#) of the following:

- <https://truongtien.com.vn/wp-content/plugins/contact-form-7/includes/css/styles.css?ver=5.0.4>
- <https://truongtien.com.vn/wp-includes/css/dashicons.min.css?ver=4.9.8>
- <https://truongtien.com.vn/wp-content/plugins/wp-schema-pro/admin/assets/css/frontend.css?ver=1.1.10>
- <https://truongtien.com.vn/wp-content/themes/flatsome/assets/css/fl-icons.css?ver=3.3>
- <https://truongtien.com.vn/wp-content/themes/flatsome/assets/css/flatsome.css?ver=3.7.1>
- <https://truongtien.com.vn/wp-content/themes/flatsome/assets/css/flatsome-shop.css?ver=3.7.1>
- <https://truongtien.com.vn/wp-content/themes/bds/style.css?ver=3.7.1>



## Consider Fixing:

### Enable compression

Compressing resources with gzip or deflate can reduce the number of bytes sent over the network.

[Enable compression](#) for the following resources to reduce their transfer size by 478B (56% reduction).

- Compressing <https://images.dmca.com/Badges/DMCABadgeHelper.min.js> could save 478B (56% reduction).

# Mobile

## Minify CSS

Compacting CSS code can save many bytes of data and speed up download and parse times.

[Minify CSS](#) for the following resources to reduce their size by 800B (22% reduction).

- Minifying <https://truongtien.com.vn/wp-content/plugins/float-menu/public/css/style.css?ver=2.2> could save 449B (16% reduction) after compression.
- Minifying <https://truongtien.com.vn/wp-content/plugins/float-menu/asset/css/style-1.css?ver=1541035807> could save 198B (56% reduction) after compression.
- Minifying <https://truongtien.com.vn/wp-content/themes/bds/style.css?ver=3.7.1> could save 153B (37% reduction) after compression.

## Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

[Minify JavaScript](#) for the following resources to reduce their size by 1.7KiB (20% reduction).

- Minifying <https://truongtien.com.vn/wp-content/plugins/contact-form-7/includes/js/scripts.js?ver=5.0.4> could save 659B (17% reduction) after compression.
- Minifying <https://truongtien.com.vn/wp-content/themes/flatsome/assets/js/other-shortcodes.js> could save 414B (20% reduction) after compression.
- Minifying <https://images.dmca.com/Badges/DMCABadgeHelper.min.js> could save 341B (41% reduction).
- Minifying <https://truongtien.com.vn/wp-content/plugins/wp-schema-pro/admin/assets/js/frontend.js?ver=1.1.10> could save 233B (23% reduction) after compression.
- Minifying <https://truongtien.com.vn/wp-content/plugins/woocommerce/assets/js/js-cookie/js.cookie.min.js?ver=2.1.4> could save 115B (12% reduction) after compression.

# Mobile

## Optimize images

Properly formatting and compressing images can save many bytes of data.

[Optimize the following images](#) to reduce their size by 82.6KiB (24% reduction).

- Compressing <https://truongtien.com.vn/wp-content/uploads/2018/10/may-loc-nuoc-pucomtech-pupa2ch.jpg> could save 17.5KiB (32% reduction).
- Compressing <https://truongtien.com.vn/wp-content/uploads/2018/10/may-loc-nuoc-pucomtech-ksw50.jpg> could save 16.1KiB (32% reduction).
- Compressing <https://truongtien.com.vn/wp-content/uploads/2018/10/may-loc-nuoc-pucomtech-pupa2roch.jpg> could save 10.1KiB (22% reduction).
- Compressing <https://truongtien.com.vn/wp-content/uploads/2018/10/may-loc-nuoc-pucomtech-pupa2mch.jpg> could save 7.9KiB (20% reduction).
- Compressing <https://truongtien.com.vn/wp-content/uploads/2018/10/may-loc-nuoc-pucomtech-929carouv.jpg> could save 7.2KiB (19% reduction).
- Compressing <https://truongtien.com.vn/wp-content/uploads/2018/10/may-loc-nuoc-pucomtech-tt012wrouv.jpg> could save 6.5KiB (19% reduction).
- Compressing <https://truongtien.com.vn/wp-content/uploads/2018/09/may-loc-nuoc-pucomtech-newcah2cuv.jpg> could save 5.9KiB (21% reduction).
- Compressing <https://truongtien.com.vn/wp-content/uploads/2018/10/san-pham-may-loc-nuoc-uong-truc-tiep-duoc-khach-hang-ua-chuong.jpg> could save 5.6KiB (21% reduction).
- Compressing <https://truongtien.com.vn/wp-content/uploads/2018/10/logo-chinh-truong-tien-new-300x68.png> could save 4.3KiB (19% reduction).
- Compressing [https://images.dmca.com/Badges/DMCA\\_logo-grn-btn120w.png?ID=094cc772-5acf-44cb-9c0a-7964c749d1c8](https://images.dmca.com/Badges/DMCA_logo-grn-btn120w.png?ID=094cc772-5acf-44cb-9c0a-7964c749d1c8) could save 1.4KiB (32% reduction).



3 Passed Rules

## Avoid landing page redirects

Your page has no redirects. Learn more about [avoiding landing page redirects](#).

# Mobile

## Minify HTML

Your HTML is minified. Learn more about [minifying HTML](#).

## Prioritize visible content

You have the above-the-fold content properly prioritized. Learn more about [prioritizing visible content](#).

## 96 / 100 User Experience

### Consider Fixing:

## Size content to viewport

The page content is too wide for the viewport, forcing the user to scroll horizontally. [Size the page content to the viewport](#) to provide a better user experience.

The page content is 418 CSS pixels wide, but the viewport is only 412 CSS pixels wide. The following elements fall outside the viewport:

- The element `<div class="col">Máy lọc nước R...ính (1 lọc RO)</div>` falls outside the viewport.
- The element `<div class="col">Máy lọc nước P...ia cực tím: Có</div>` falls outside the viewport.
- The element `<div class="col post-item is-selected">Tiêu chuẩn nướ...Bộ Y Tế [...]</div>` falls outside the viewport.
- The element `<path class="arrow">` falls outside the viewport.

## Size tap targets appropriately

Some of the links/buttons on your webpage may be too small for a user to easily tap on a touchscreen. Consider [making these tap targets larger](#) to provide a better user experience.

## Mobile

The following tap targets are close to other nearby tap targets and may need additional spacing around them.

- The tap target `<button type="button" class="flickity-butto...utton previous"></button>` and 1 others are close to other tap targets.



### 3 Passed Rules

#### Avoid plugins

Your page does not appear to use plugins, which would prevent content from being usable on many platforms. Learn more about the importance of [avoiding plugins](#).

#### Configure the viewport

Your page specifies a viewport matching the device's size, which allows it to render properly on all devices. Learn more about [configuring viewports](#).

#### Use legible font sizes

The text on your page is legible. Learn more about [using legible font sizes](#).

## Desktop



## Desktop



68 / 100 Speed

! Should Fix:

### Optimize images

Properly formatting and compressing images can save many bytes of data.

[Optimize the following images](#) to reduce their size by 266KiB (70% reduction).

- Compressing and resizing <https://truongtien.com.vn/wp-content/uploads/2018/10/may-loc-nuoc-pucomtech-pupa2ch.jpg> could save 42.7KiB (76% reduction).
- Compressing and resizing <https://truongtien.com.vn/wp-content/uploads/2018/10/may-loc-nuoc-pucomtech-ksw50.jpg> could save 39.4KiB (77% reduction).
- Compressing and resizing <https://truongtien.com.vn/wp-content/uploads/2018/10/may-loc-nuoc-pucomtech-pupa2roch.jpg> could save 36.2KiB (77% reduction).
- Compressing and resizing <https://truongtien.com.vn/wp-content/uploads/2018/10/may-loc-nuoc-pucomtech-pupa2mch.jpg> could save 30.6KiB (76% reduction).
- Compressing and resizing <https://truongtien.com.vn/wp-content/uploads/2018/10/may-loc-nuoc-pucomtech-929carouv.jpg> could save 28.9KiB (74% reduction).
- Compressing and resizing <https://truongtien.com.vn/wp-content/uploads/2018/10/may-loc-nuoc-pucomtech-tt012wrouv.jpg> could save 27.3KiB (75% reduction).
- Compressing and resizing <https://truongtien.com.vn/wp-content/uploads/2018/09/may-loc-nuoc-pucomtech-newcah2cuv.jpg> could save 19.9KiB (70% reduction).
- Compressing and resizing <https://truongtien.com.vn/wp-content/uploads/2018/10/san-pham-may-loc-nuoc-uong-truc-tiep-duoc-khach-hang-ua-chuong.jpg> could save 18.9KiB (68% reduction).
- Compressing and resizing <https://truongtien.com.vn/wp-content/uploads/2018/10/logo-chinh-truong-tien-new.png> could save 16.3KiB (57% reduction).

## Desktop

- Compressing <https://truongtien.com.vn/wp-content/uploads/2018/10/logo-chinh-truong-tien-new-300x68.png> could save 4.3KiB (19% reduction).
- Compressing [https://images.dmca.com/Badges/DMCA\\_logo-grn-btn120w.png?ID=094cc772-5acf-44cb-9c0a-7964c749d1c8](https://images.dmca.com/Badges/DMCA_logo-grn-btn120w.png?ID=094cc772-5acf-44cb-9c0a-7964c749d1c8) could save 1.4KiB (32% reduction).

### Consider Fixing:

#### Enable compression

Compressing resources with gzip or deflate can reduce the number of bytes sent over the network.

[Enable compression](#) for the following resources to reduce their transfer size by 478B (56% reduction).

- Compressing <https://images.dmca.com/Badges/DMCABadgeHelper.min.js> could save 478B (56% reduction).

#### Leverage browser caching

Setting an expiry date or a maximum age in the HTTP headers for static resources instructs the browser to load previously downloaded resources from local disk rather than over the network.

[Leverage browser caching](#) for the following cacheable resources:

- <https://truongtien.com.vn/wp-content/themes/flatsome/assets/css/icons/fl-icons.woff2> (expiration not specified)
-

## Desktop

2sen!3sUS!5e289!12m1!1e68!12m3!1e37!2m1!1ssmartmaps!4e3!12m1!5b1!23i4111425&client=google-maps-embed&token=53863 (4.6 minutes)

- 
- 
- 
-

## Desktop

29!19u50!3m9!2sen!3sUS!5e289!12m1!1e68!12m3!1e37!2m1!1ssmartmaps!4e0!23i4111425&client=google-maps-embed&token=89790 (5 minutes)

- 
- <https://www.googletagmanager.com/gtag/js?id=UA-127060475-1> (15 minutes)
- [https://maps.googleapis.com/maps/api/js?client=google-maps-embed&paint\\_origin=&libraries=geometry,search&v=3.exp&language=en](https://maps.googleapis.com/maps/api/js?client=google-maps-embed&paint_origin=&libraries=geometry,search&v=3.exp&language=en) (30 minutes)
- <https://www.google-analytics.com/analytics.js> (2 hours)
- <https://embed.tawk.to/5be15af99032835ef9dc7146/default> (4 hours)

## Reduce server response time

In our test, your server responded in 1.2 seconds.

There are many factors that can slow down your server response time. [Please read our recommendations](#) to learn how you can monitor and measure where your server is spending the most time.

## Minify CSS

Compacting CSS code can save many bytes of data and speed up download and parse times.

## [Desktop](#)

[Minify CSS](#) for the following resources to reduce their size by 800B (22% reduction).

- Minifying <https://truongtien.com.vn/wp-content/plugins/float-menu/public/css/style.css?ver=2.2> could save 449B (16% reduction) after compression.
- Minifying <https://truongtien.com.vn/wp-content/plugins/float-menu/asset/css/style-1.css?ver=1541035807> could save 198B (56% reduction) after compression.
- Minifying <https://truongtien.com.vn/wp-content/themes/bds/style.css?ver=3.7.1> could save 153B (37% reduction) after compression.

## Minify JavaScript

Compacting JavaScript code can save many bytes of data and speed up downloading, parsing, and execution time.

[Minify JavaScript](#) for the following resources to reduce their size by 1.7KiB (20% reduction).

- Minifying <https://truongtien.com.vn/wp-content/plugins/contact-form-7/includes/js/scripts.js?ver=5.0.4> could save 659B (17% reduction) after compression.
- Minifying <https://truongtien.com.vn/wp-content/themes/flatsome/assets/js/other-shortcodes.js> could save 414B (20% reduction) after compression.
- Minifying <https://images.dmca.com/Badges/DMCABadgeHelper.min.js> could save 341B (41% reduction).
- Minifying <https://truongtien.com.vn/wp-content/plugins/wp-schema-pro/admin/assets/js/frontend.js?ver=1.1.10> could save 233B (23% reduction) after compression.
- Minifying <https://truongtien.com.vn/wp-content/plugins/woocommerce/assets/js/js-cookie/js.cookie.min.js?ver=2.1.4> could save 115B (12% reduction) after compression.

## Eliminate render-blocking JavaScript and CSS in above-the-fold content

Your page has 1 blocking CSS resources. This causes a delay in rendering your page.

## Desktop

None of the above-the-fold content on your page could be rendered without waiting for the following resources to load. Try to defer or asynchronously load blocking resources, or inline the critical portions of those resources directly in the HTML.

[Optimize CSS Delivery](#) of the following:

- <https://truongtien.com.vn/wp-content/plugins/contact-form-7/includes/css/styles.css?ver=5.0.4>



### 3 Passed Rules

#### Avoid landing page redirects

Your page has no redirects. Learn more about [avoiding landing page redirects](#).

#### Minify HTML

Your HTML is minified. Learn more about [minifying HTML](#).

#### Prioritize visible content

You have the above-the-fold content properly prioritized. Learn more about [prioritizing visible content](#).